

NEW AGE
INDUSTRIAL
NEW AGE

GRAINGER

2024 NEW LISTINGS



**The Products
You Want,
The Quality
You Trust.**

MATERIAL HANDLING FOODSERVICE SUPERMARKET

Leveling Associate Height

These lightweight aluminum raised platforms help level the height differences among employees, providing a safe and comfortable work height for everyone.

- Handle grip makes it easy to clean and store in a personal locker.
- Anti-Slip raised tread, perforated top, has 3" O.C. Spacing (Disrupted elevation = $\frac{3}{16}$ ").
- All Aluminum, Guaranteed Rust Free!

1" and 2" Ergo Stands are ideal for wet, slippery environments.


1" 2" 4" 6" 8"

GRAINGER #816V62 GRAINGER #816V63 GRAINGER #816V64 GRAINGER #816V65 GRAINGER #816V66

24" Wide x 20" Deep Deck



CUTOUT CARRYING HANDLE



ANTI-SLIP DECK

Stock & Store

Capable of holding five hand truck loads worth of product, this versatile picking cart comes equipped with several features to maximize efficiency! Perfect for picking operations, this narrow cart easily maneuvers through tight spaces without blocking aisles.

- The smooth solid deck allows boxes and totes to slide for effortless loading and unloading.
- Outfitted with heavy duty casters, the polyurethane tread provides additional control and a softer, quieter ride. The six wheel configuration provides a zero-turn radius to easily maneuver through tight corners and crowded spaces.



GRAINGER #812MV8

Easily folds down and latches to store on end.

Dimensions = 20"D x 64 5/16"H x 66 3/4"L (unfolded)
20"D x 14 5/16"H x 66 3/4"L (folded)

! Open deck area of 62" accommodates four 15" x 20" stack and nest totes across the base.

► Narrow Stock Truck

Grainger No.	Supplier No.	Size W-H-L	Position	Deck Size	Weight Capacity	Ship Lbs.
812MV8	53313A	20" x 64 5/16" x 66 3/4"	Unfolded	20" x 62"	1500 lbs.	80
		20" x 14 5/16" x 66 3/4"	Folded			
Removable Solid Shelf - Sold Separately						
812MV9 ,	53313RS	18 3/8" x 1 1/4" x 66 3/4"	n/a	n/a		30

Four 5" x 1 1/4" polyurethane, plate type swivel casters and two 6" x 2" polyurethane, plate type rigid casters.

Drop-On Shelf: **Sold Separately**



GRAINGER #812MV9

Dual handles allow the cart to be controlled from either end and provide the upright framework that allows the removable shelves to drop-on.

- Once installed, each shelf grants roughly five inches of shelf clearance so users can easily access or identify items within the totes.



GRAINGER #812MV8

Shown with one #812MV9,
Sold Separately.



GRAINGER #812MV8

Shown with two #812MV9,
Sold Separately.

Go ahead and dish it out... We can handle it.

Make large serving jobs easier! Queen Marys come equipped with marine edge shelves to contain spills and a full perimeter bumper to protect walls.

- Built for transporting BIG loads for banquets, catering, and bussing.
- Smooth radius handle and uprights.
- Solid shelves with marine edges add strength and contain spills.
- Standard perimeter bumper protects surfaces.
- Durable, all welded aluminum construction with 8" x 2" casters (standard).



GRAINGER #806UE3



► Queen Mary - Aluminum

Grainger No.	Supplier No.	Size D-H-L	Weight Capacity	Number Of Shelves	Shelf Spacing	Ship Lbs.
806UE1	1451	29" x 66 3/4" x 75"	2500 lbs.	5	12"	210
806UE2	1452	29" x 66 3/4" x 62"	2500 lbs.	4	16 1/2"	174
806UE3	1455	29" x 66 3/4" x 62"	3000 lbs.	6	9 1/4"	205

Four 8" plate type casters; two swivel, two rigid.

Each Unit Is Equipped With A Full Perimeter Bumper.



Ideal for transporting and storing cups and glassware from the service area to the back room. This cart eliminates the stacking and re-stacking of baskets by allowing quick, easy access to all dish baskets simultaneously.

Organize product and make more space for storage in back rooms or coolers.

► Mobile Dish Rack

Grainger No.	Supplier No.	Size W-H-D	Tray Capacity	Runner Spacing	Ship Lbs.
Standard Units					
806UD4	NS345	22" x 65" x 20 1/2"	8	7"	30
806UD5	93037	22" x 69" x 20 1/2"	6	10"	30

Four 5" stem type swivel casters.

All units accept 20" x 20" dish racks.



GRAINGER #806UD5



GRAINGER #806UD4

Small, Medium & Large... One Rack For Them All!

The Universal Pizza Pan Racks transport and store pans used for pre-made pizzas, rolled pizza dough or freshly baked pizza pies. They are specifically designed to store pizza pans during the various stages of preparation while accepting a variety of pan size combinations at once.

These mobile racks are easily rolled into the different areas of production from prep, oven and more!



GRAINGER #806UG8

► Universal Pizza Pan Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Size	Pan Clearance	Pan Capacity	Ship Lbs.
Single-Wide • Single-Deep - Ships Knocked Down						
806UG1	97720	18 1/2" x 72" x 16 3/4"	12" to 16"	2 3/8"	20	37
806UG2	97722	20 3/4" x 72" x 16 3/4"	10" to 18"	2 3/8"	20	47
806UG3	99309	20 3/8" x 72" x 16 3/4"	14" to 18"	2 3/8"	20	37
806UG4	99456	Vinyl Cover For Above Units • White With Two Zippers				6
Single-Wide • Double-Deep - Ships Knocked Down						
806UG5	97721	18 1/2" x 72" x 32"	12" to 16"	2 3/8"	40	60
806UG6	99310	20 3/8" x 72" x 32"	14" to 18"	2 3/8"	40	62
806UG7	99457	Vinyl Cover For Above Units • White With 4 Zippers				6
Four 5" stem type swivel casters.						
Table Top Unit						
806UG8	99970	12" x 24 1/8" x 13"	10" to 18"	1 3/4"	8	9



GRAINGER #806UG5
shown with #806UG7
cover



GRAINGER #806UG1

Adjusts To Your Pan Size

These racks are specially designed to adjust to the size of your pan – 10" up to and including 16" pans.

► Adjustable Pizza Pan Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Description	Runner Spacing	Ship Lbs.
806UF7	NS599A	Adj. x 62 1/8" x 13 3/8"	26	1 Wide / 2 High	2"	44
806UF8	NS603A	Adj. x 62 1/8" x 13 3/8"	52	2 Wide / 2 High	2"	70
806UF9	NS596A	Adj. x 62 1/8" x 13 3/8"	78	3 Wide / 2 High	2"	104
806UG0	NS600A	Adj. x 34 3/4" x 13 3/8"	26	2 Wide / 1 High	2"	44

Four 5" stem type swivel casters.

Adjustable widths in 1" increments to hold 10" through and including 16" pans.

Width inside uprights = 10 1/2" Minimum • 16 1/2" Maximum



GRAINGER #806UF9



GRAINGER #806UF7

“Mix-and-Match” Pan Types & Sizes

These racks are specifically designed for a roll-in applications, such as refrigerators, freezers, and warming cabinets.

- Racks accommodate 13" x 18", 14" x 18", and 18" x 26" pans.
 - Wide-angle racks will also accommodate 12" x 20" pans.

► Refrigerator/Proofer Rack - Heavy Duty

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
Standard Refrigerator/Proofer Racks					
806UM2	1338	20 3/8" x 64" x 26"	18	3"	55
Wide-Angle Refrigerator/Proofer Racks - Accepts 18" x 26" or 12" x 20" Pans					
806UM3	1335	20 3/8" x 64" x 26"	18	3"	72

Four 5" plate type casters; two swivel, two swivel with brake.



GRAINGER #806UM3



GRAINGER #806UM2



GRAINGER #806UM1



Wide Angle Racks allow you to mix-and-match pan sizes, allowing you to hold a variety of pans with one rack.

► Wide Angle Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Slides	Runner Spacing	Ship Lbs.
Extra-Wide Angle - Accepts 18" x 26" or 12" x 20" Pans, and Various Oval Trays.					
806UM1	96058	26 1/2" x 70 1/8" x 30"	10 pair	6"	99

Four 5" plate type swivel casters.



These racks are specifically designed to hold both sheet pans and poly boxes; serving the purpose of two racks in one.

► Poly Box/Sheet Pan Combination Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
806UL8	1482	20 3/8" x 69 3/4" x 26"	11	5"	44
806UL9	1484	20 3/8" x 69 3/4" x 26"	16	3 1/2"	47
806UM0	1486	20 3/8" x 69 3/4" x 26"	8	7 1/2"	40

Four 5" plate type casters; two swivel, two swivel with brake.

Capacities listed are the maximum number of 18" x 26" pans each unit will hold. Box capacity is determined by the depth of the box, as well as the guide spacing. Deeper boxes may block the guides, reducing the capacity of the rack.



GRAINGER #806UL8



GRAINGER #806UL9


Nesting Racks Take Up 30% Less Floor Space Than Standard Bun Pan Racks.

Designed to nest together when not in use, these racks are perfect for high production areas.




GRAINGER #806UL2 GRAINGER #806UL6 GRAINGER #806UL3

6 "U" Racks = 13.8 sq/ft • 6 Standard Racks = 22.4 sq/ft



6 "Z" Racks = 14.9 sq/ft • 6 Standard Racks = 22.4 sq/ft



GRAINGER #806UK6



GRAINGER #806UK5



GRAINGER #806UK8

These racks are designed for freezer and refrigerator/cooler use and are designed to hold 13" x 18", 14" x 18", and 18" x 26" sheet pans.

These racks fit most reach-ins with a 21" clearance.

Insert Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Angle Spacing	Ship Lbs.
1/2-Size Unit - Holds 18" x 26" (Full Size) Sheet Pans					
806UK5	1610	20 3/8" x 23" x 24"	7	3"	14
Full Size Unit - Holds 18" x 26" (Full Size) Sheet Pans					
806UK6	1612	20 3/8" x 51" x 24"	16	3"	28
806UK7	97729	20 3/8" x 51" x 24"	24	2"	35
1/2-Size Unit - Steamtable - Holds 12" x 20" Steamtable Pans					
806UK8	97073 *	15 7/8" x 23 1/4" x 22"	7	3"	25

Fits most reach-ins • Requires 21" door clearance.

* Not NSF Certified.



Built with heavy duty “D” tube construction, our full size racks are “user friendly” and strong.

Designed for institutional, correctional, casino, hotel, university and hospital use — Ideal for facilities that require a durable rack to meet the needs of their around-the-clock usage.

Unique wide and stepped angles allow racks to hold a wide variety of pans and pan sizes.



GRAINGER #806UK3



Stepped-Angle

Stepped-Angle Pan Rack

Grainger No.	Supplier No.	Size W-H-D	Angle Spacing	Ship Lbs.
Stepped-Angle Pan Racks				
806UK3	4640	25" x 73" x 26"	4 ½"	142
806UK4	4642	25" x 73" x 26"	3"	158

Four 6" x 2" plate type swivel casters.

Accepts: Roast & Bake Pans 20" x 22", 18" x 26" & 10" x 20", Steamtable Pans 12" x 18" & 12" x 20", Bun Pans 18" x 13" & 18" x 26", Service Trays 15" x 20" & 14" x 18", Maxi Pan 20 ¾" x 25 ½", Standard GastroNorm Pans 20 ¾" x 25 ½"

Note: Angle Runners Are NOT ADJUSTABLE.



Wide-Angle Roll-In Rack | Stepped-Angle Roll-In Rack

Grainger No.	Supplier No.	Size W-H-D	Angle Spacing	Ship Lbs.
Wide-Angle Roll-In Racks				
806UJ9	4337 **	21 ½" x 64" x 26"	5"	74
Pan Capacity = (11) 18" x 26", (10) 12" x 20", (22) 13" x 18", (22) 14" x 18"				
806UK0	4338	21 ½" x 64" x 26"	3"	80
Pan Capacity = (18) 18" x 26", (17) 12" x 20", (36) 13" x 18", (36) 14" x 18"				
Stepped-Angle Roll-In Racks				
806UK1	4635	25" x 64" x 26"	4 ½"	84
806UK2	4637	25" x 64" x 26"	3"	118

Four 5" x 2" plate type swivel casters.


** Top angle clearance is 4¼".

Accepts: Roast & Bake Pans 20" x 22", 18" x 26" & 10" x 20", Steamtable Pans 12" x 18" & 12" x 20", Bun Pans 18" x 13" & 18" x 26", Service Trays 15" x 20" & 14" x 18", Maxi Pan 20 ¾" x 25 ½", Standard GastroNorm Pans 20 ¾" x 25 ½"

Note: Angle Runners Are NOT ADJUSTABLE



GRAINGER #806UK1



Wide-Angle



Stepped-Angle



All sheet pan racks quoted hold USA standardized 18" x 26" sheet pans (17 ⅞" x 25 ⅞" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Step Up Your Pan Flexibility

Designed to accommodate a wide variety of pan styles and sizes, these racks are equipped with extra wide stepped-angles, securely welded to a heavy duty frame - Giving you the freedom to mix-and-match pans and trays on one rack to suit your needs

- Specially designed to hold trays by the bottom ensuring equal load distribution for easy, "worry free" handling.
- Heavy duty, stepped-angle guides are extra-wide and feature ribs that allow pans to slide on and off with ease; minimizing the galling or flaking that can occur with heavy usage.

► Universal Stepped-Angle Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Slides	Runner Spacing	Ship Lbs.
Universal Stepped-Angle Racks					
806UK9	1640	24 1/2" x 70 1/8" x 26"	13 pair	4 1/2"	90
806UL0	1642	24 1/2" x 71 1/8" x 26"	20 pair	3"	156

Four 5" plate type swivel casters.

All Welded Unit • Angle Runners Are NOT ADJUSTABLE



GRAINGER #806UL0

PAN SIZES:

10" x 20" Roast & Bake Pans • 20" x 22" Roast & Bake Pans • 18" x 26" Roasting Pans •
18" x 26" Bun Pans • 18" x 13" Bun Pans • 12" x 20" Steam Table Pans • 20 3/4" x 25 1/2" European Std.
GastroNorm Pans • 15" x 20" Service Tray • 14" x 18" Service Tray •
20" x 20" Cup & Glass Racks



GRAINGER #806UJ1



Ideal cabinet for food delivery and storage of products, on a large variety of pan sizes, while meeting your various runner spacing requirements.

Solid side panels are notched on 1 1/2" centers to accommodate adjustable stepped angles.

► Universal Adjustable Angle Cabinet

Grainger No.	Supplier No.	Size W-H-D	Angle Spacing	Angle Runners	Ship Lbs.
806UJ1	97746	27 5/8" x 61 1/2" x 30 1/8"	Adj.	11 pair	255
806UJ2	97747	27 5/8" x 70 1/2" x 30 1/8"	Adj.	13 pair	243

Four 5" plate type swivel caster.

Angle Runners are adjustable on 1 1/2" centers.
Standard equipped with Reinforced Door.



Pan Sizes: 10" x 20" Roast and Bake Pans • 20" x 22" Roast & Bake Pans • 18" x 26" Roasting Pans • 18" x 26" Bun Pans • 18" x 13" Pans • 12" x 20" Steam Table Pans • 20 3/4" x 25 1/2" European Standard GastroNorm Pans • 15" x 20" Service Tray • 14" x 18" Service Tray • 20" x 20" Cup & Glass Racks



All sheet pan racks quoted hold USA standardized 18" x 26" sheet pans (17 7/8" x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Transport, Store and More!

Enclosed cabinets are excellent for catering and outdoor events, the unique side panels are designed for loading these cabinets up to maximum capacity with ease!

Solid side panels are fabricated using unique, interlocking extrusions with integrated 1/2" guides spaced on 1 1/2" centers. These low profile guides hold half- and full-size sheet pans by the lip, no obstructions, allowing users to easily space loaded pans for maximum capacity.



GRAINGER #806UJ5



GRAINGER #806UJ6



GRAINGER #806UJ8

Enclosed Transport Cabinet - Heavy Duty

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	H.D. Base	Ship Lbs.
1/2-Size Enclosed Pan Rack						
806UJ5	1296	20 7/8" x 38" x 27 5/8"	20	1 1/2"	No	103
3/4-Size Enclosed Pan Rack						
806UJ6	1293	20 7/8" x 56" x 27 5/8"	32	1 1/2"	Yes	132
Solid Sides, Open Ends, Solid Top & Bottom						
806UJ7	1291	20 7/8" x 68" x 27 5/8"	40	1 1/2"	Yes	86
Solid Sides, Open Ends - Top & Bottom						
806UJ8	96328	20 5/16" x 69 13/16" x 26 1/2"	39	1 1/2"	N/A	82
Steamtable Pan Enclosed Cabinet - Not NSF Certified.						
806UJ4	95141	23 3/4" x 69" x 27 3/8"	24	1 1/2"	Yes	166

Four 5" plate type swivel casters.

806UJ5, 806UJ6, 806UJ7, and 806UJ8 Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.

806UJ4 Steamtable Unit holds 12" x 20" steamtable pans (4" deep).



GRAINGER #806UJ4

Enclosed Transport Cabinet - Standard

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
806UJ3	1290A	20 7/8" x 68" x 27 5/8"	40	1 1/2"	134

Four 5" plate type swivel casters.

Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.



GRAINGER #806UJ3

! All sheet pan racks quoted hold USA standardized 18" x 26" sheet pans (17 7/8" x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.

Be A Show Off!

This unit provides an attractive display with high product visibility. It combines an "open" look with the protection of an enclosed cabinet. Vented Lexan side panels provide just enough air flow to prevent excess moisture from fogging the view.


Pans are held at an angle to promote visibility. Stops are welded at each angle end to keep pans from falling out.

► Enclosed Display Cabinet

Grainger No.	Supplier No.	Size W-H-D	Angle Spacing	Angle Runners	Ship Lbs.
806UJ0	98063	20 7/8" x 68 1/4" x 27 5/8"	5"	10 pair	162

Four 5" plate type swivel casters.

Accommodates 18" x 26" & 13" x 18" pans and trays.



Vented Lexan Side Panels



Angle Guides With Stops



GRAINGER #806UJ0

This rack is designed to provide an attractive display with high product visibility.

- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.
- NSF Certified.

► Slant Display Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
806UH8	1137	28 1/2" x 70" x 22"	7	8 3/4"	32
806UH9	1139	28 1/2" x 77 1/4" x 22"	9	7 1/2"	38

Four 5" stem type swivel casters.

Designed to accommodate 18" x 26" pans.



Angle Guides With Stops



GRAINGER #806UH9

! All sheet pan racks quoted hold USA standardized 18" x 26" sheet pans (17 7/8" x 25 7/8" actual). We are not responsible for pans that do not meet the industry standard, which may not fit our racks.



GRAINGER #806UM6



GRAINGER #806UM8

Make the most of your space!

The half-size design of these racks creates a working top height, that provide extra table space, with stainless steel or poly tops; Open top units are available for roll-in applications.

- All welded aluminum construction; No rivets.
- Units will hold 13" x 18", 14" x 18", and 18" x 26" pans.
- Four, one-inch welds per angle guide.
- Lifetime Guarantee against rust and corrosion, superior strength and durability guaranteed.
- NSF Certified.



GRAINGER #806UM5

▶ 1/2-Size Sheet Pan Rack

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Runner Spacing	Top Type	Ship Lbs.
Under-Counter Size - End Loading						
806UM6	1313	20 3/8" x 32 1/4" x 26"	8	3"	Stainless	36
806UM7	1314	20 3/8" x 32 1/4" x 26"	8	3"	None	27
Bakery 1/2-Size with Poly Top - End Loading						
806UM8	95958	20 3/8" x 33 3/8" x 26"	5	4 1/2"	Poly	36
3/4-Size End Loading Rack						
806UM5	1361	20 3/8" x 60 5/8" x 26"	17	3"	None	48

Four 5" stem type swivel casters.



Productive Combination

Mixing Bowl Dolly designed to hold a 30-quart mixing bowl and allow for storage of standard, full-size sheet pans underneath. Ergonomic work height helps eliminate uncomfortable working positions.

- Accommodates a 30-quart mixing bowl as well as standard 18" x 26 sheet pans



GRAINGER #806UD0

▶ Mixing Bowl/Pan Rack Dolly

Grainger No.	Supplier No.	Size W-H-D	Ring Diameter	Quart Size	Runner Spacing	Pan Capacity	Ship Lbs.
Mixing Bowl Dolly - Not NSF Certified.							
806UD0	51949	22" x 31 5/8" x 26"	20.875" I.D.	30	4"	4	35

Four 5" plate type swivel casters with total lock.

Accommodates 30QT mixing bowl and 18" x 26" sheet pans, not included.



Designed to hold dish racks for storage and drying.

Keeps racks easily accessible above sinks, tables and bussing stations.


- Eliminate wasted storage space.
- Can be customized to meet your requirements.
- Lifetime Guarantee against rust and corrosion.



Wall Mount Dish Rack Holder

Grainger No.	Supplier No.	Size W-H-D	Tray Size	Tray Capacity	Runner Spacing	Ship Lbs.
Wall Mount Dish Rack Holder						
806UD2	53082	29" x 22 1/2" x 18"	20" x 20"	6	4 1/2"	21
806UD3	52924	61 1/2" x 22 1/2" x 18"	20" x 20"	13	4 1/2"	38
Wall Mount Pan Rack						
806UF4	50875	20 3/8" x 21" x 13"	13" x 18"	6	3"	14
806UF5	98138	28 3/8" x 21" x 18"	18" x 26"	6	3"	21


Wall mount hardware is not included.



GRAINGER #806UF5



GRAINGER #806UH1



Retractable 16 GA Stainless Steel Pull-Out Shelf & Top Bracing

Mobile Slicer Stands are dual purpose carts designed to hold equipment and transport trays or pans simultaneously. When slicing, pans are held at a workable height. These versatile workstations save counter space and can be moved throughout the kitchen or foodservice facility.

- Four 5" plate type swivel casters, all with brakes, eliminate movement while slicing.

Slicer Stand

Grainger No.	Supplier No.	Size W-H-D	Runner Spacing	Pan Capacity	Ship Lbs.
Slicer Stand - Not NSF Certified.					
806UH1	99217	28 3/8" x 30" x 20"	3"	6	67
Four 5" plate type swivel casters with total locks.					
Accommodates 18" x 26" sheet pans.					
Slicer/Mixer Stand					
806UG9	98000	23 1/4" x 31 1/4" x 26"	1 1/2"	12	44
806UH0	98179	23 1/4" x 37" x 26"	3"	8	59

Four 5" plate type swivel casters with brake.

Vertical Corner Bumpers (4) are standard.

Designed to accommodate 13" x 18", 14" x 18" and 18" x 26" pans.

Note: Model #806UG9 holds pans by the lip.



GRAINGER #806UG9



Outrigger Channels





GRAINGER #806UC6

Originally designed for a hotel casino, these dollies have also been used in hospitals and correctional facilities.

One unit will store and transport up to 140 sheet pans. Purposely designed to hold sheet pans at a backward angle to keep the stack from tipping forward outside of the frame.

► Bulk Sheet Pan Dolly

Grainger No.	Supplier No.	Size W-H-D	Pan Capacity	Ship Lbs.
806UC6	50112	27 3/4" x 73" x 28 1/2"	140	68

Four 8" plate type swivel casters.

Accommodates 18" x 26" sheet pans.



Dollies For Any Pan, Tray and Function!


► Pan Dollies

a.	Grainger No.	Supplier No.	Size W-H-D	Weight Capacity	Ship Lbs.
Angle Dolly Without Sides or Handle					
	806UC8	1192	18 7/8" x 7" x 27"	800 lbs.	18
	Four 5" plate type swivel casters. Accommodates 18" x 26" sheet pans.				
Bread Pan Dolly - Holds 5 strap 11lb. loaf pans (9 23/32" x 26")					
	806UC4	93189	21 7/8" x 6" x 28 1/8"	800 lbs.	17
	Four 3" plate type swivel casters.				
Universal Bread Pan Dolly					
	806UC5	95219	26 3/4" x 9" x 30 5/8"	800 lbs.	24
	Four 5" plate type swivel casters.				
Pizza Dough Box Dolly - Holds 18" x 26" dough boxes					
	806UC1	98040	20 1/2" x 7 1/4" x 27 1/4"	100 lbs.	18
	Four 5" plate type swivel casters.				
Oval Tray Dolly - Not NSF Certified.					
	806UC9	97055	26 3/8" x 33 3/4" x 30"	800 lbs.	36
	Four 5" plate type casters; two swivel, two swivel with brake. Accommodates up to 23 1/2" x 29" oval trays.				
Steamtable Pan Dolly - 2-Bay - Not NSF Certified.					
	806UC7	98195	30" x 64" x 22"	1000 lbs.	46
	Four 5" plate type swivel casters. Accommodates up to 12" x 20" steam table pans.				



Back Room Back Savers!

These dollies are specifically designed to store and transport 13" x 13" milk crates. This allows for more efficient transporting from the trucks to the coolers.



GRAINGER #806UC3

► Milk Crate Dolly

Grainger No.	Supplier No.	Size W-H-D	Number Of Stacks	Crate Capacity	Ship Lbs.
806UC3	1620	13 3/4" x 9" x 28 1/4"	2	8	19

Four 5" swivel type plate casters.



Specifically designed to stack iced or frozen food. This dolly keeps drips, spills, and condensation to a minimum with a sturdy removable drip pan.

► Chicken Dolly

Grainger No.	Supplier No.	Size W-H-D	Weight Capacity	Ship Lbs.
806UC2	1187	24" x 14" x 30 1/4"	500 lbs.	24

Four 5" stem type casters; two swivel, two with brake.

Comes equipped with drip pan.



GRAINGER #806UC2



Removable Drip Tray



GRAINGER #806UD6

One cart allows you to store frozen food in the freezer and then roll into the prep room for thawing. Specifically designed for boxed frozen foods, these compact dollies keep drips, spills and condensation to a minimum with a sturdy aluminum drip pan.

► Food Box Dolly

Grainger No.	Supplier No.	Size W-H-L	Weight Capacity	Deck Height	Ship Lbs.
806UD6	1630	24" x 36" x 33"	500 lbs.	12"	27
806UD7	1631	24" x 36" x 33"	500 lbs.	16"	29

Four 5" stem type swivel casters.

Removable Drip Tray Included.



Removable Drip Tray

Share Cart

Initially designed for schools as a "Share Cart", this versatile cart can be seen in nursing homes, stadiums and club stores.

- Two locations for custom signs.
- Top shelf designed to hold two Coldmaster CoolCheck™ drop-ins. (pans included)
- Smooth radius push handle.
- Slanted second shelf for easy access and storage.
- Reinforced base shelf for miscellaneous storage.

Grainger No.	Supplier No.	Size D - H - L	Ship Lbs.
806UD8	52861	23 1/4" x 70" x 29 7/16"	100

Four 5" plate type casters, two swivel, two swivel with brake. All welded aluminum construction.



Note: Poly food boxes, custom signs and any other accessories are not included and must be purchased by end user.

Factory Options:

- **806UD9 - Cold Pan Shelf**
Hinged, drop-down shelf built to hold 1/3-size cold pan.
- **806UE0 - Computer/Tablet Shelf**
Hinged, drop down shelf for a computer/tablet.
- **Several color options!**

**IDEAL FOR:
SCHOOLS
STADIUMS
NURSING HOMES
CLUB STORES**



GRAINGER #806UD8



No Ice Required!

Comes with two, Coldmaster CoolCheck™ drop-ins.



806UD9



806UE0



GRAINGER #806UH6 shown with optional cover #806UH7

GRAINGER #806UH4 shown with optional cover #806UH5

Ideal for any dining room, this lightweight aluminum cart is easy to push around, even when loaded. Sleek aluminum finish is extremely durable and easy to clean. Carts feature four 5" stem type casters that are strong and provide great mobility.

Optional Staph-Check® cover will prevent any airborne contaminants from escaping and makes an attractive addition to your venue.

Room Service Delivery Cart

Grainger No.	Supplier No.	Size W-H-D	Runner Spacing	Pan Capacity	Ship Lbs.
806UH4	96004	23" x 59 1/4" x 31 1/4"	5"	20	51
806UH5	Vinyl Staph-Check® Cover for #806UH4 - Not NSF Certified. Green vinyl cover with Velcro closure.				
Four 5" stem type swivel casters.					
806UH6	96005	36 3/4" x 42 3/4" x 23"	5"	12	80
806UH7	Vinyl Staph-Check® Cover for #806UH6 - Not NSF Certified. Green vinyl cover with Velcro closure.				

Four 6" plate type casters; two swivel with brake, two rigid.

Accommodates 15" x 20" trays.



806UH6 Removable Tray Top