AICIAIA CE INDUSTRIAL INC VV/IUC

**GRAINGER SHOW** 2024

**Booth 1843** 



MATERIAL HANDLING

**FOODSERVICE** 

**SUPERMARKET** 



### **PALLETS**



### Tube Frame Pallets

Grainger Supplier		Size	Net	Ship	
No.	No.	W-H-D	Lbs.	Lbs.	
459V63	99613	40" x 5¼" x 48"	48	51	

Equipped with center base tube as shown.

#### **LOAD WEIGHTS:**

99613 STATIC 30,000 LBS. **DYNAMIC** 5,000 LBS.



	99557
STATIC	30,000 LBS.
DYNAMIC	5,000 LBS.
RACKABLE	5,000 LBS.
TRUCKLOAD	510 T.L.
UMINUM WEIGHT	50 LBS.



Grainger	Supplier	Size	Entry	Net	Ship
No.	No.	W-H-D	Type	Lbs.	Lbs.
60NJ20	99557	40" x 5" x 48"	2-Way	51	64

**Additional Styles and Sizes Available** 

**Section View** Open channels for easy cleaning.





AICIAIA CI

# NARROW AISLE **PICKING CART**

Capable of holding five hand truck loads worth of product, this versatile picking cart comes equipped with several features to maximize efficiency! Perfect for picking operations, this narrow cart easily maneuvers through tight spaces without blocking aisles.



# Narrow Aisle Picking Cart

Grainger No.	Supplier No.	Size W-H-L	Deck Size	Weight Capacity	Ship Lbs.
<u>812MV8</u>	53313A	20" x 64%6" x 66¾" (Unfolded) 20" x 14%6" x 66¾" (Folded)	20" x 62"	1500 lbs.	80
Removabl	e Solid She	lf - Sold Separately			
812MV9	53313RS	183%" v 11/4" v 663/4"	n/a	n/a	30

Four 5" x 11/4" plate type swivel casters and two 6" x 2" plate type rigid casters.





Dual handles allow the cart to be controlled from either end and provide the upright framework that allows the removable shelves to drop-on.

# NEW LISTING!



Once installed, each shelf grants roughly five inches of shelf

clearance. Users can easily access or identify items within the



### **ERGO STANDS**

Leveling Associate Height





**Problem:** Many workplaces, such as fulfillment centers, meat processing facilities, commercial kitchens, and assembly lines, require employees to work side-by-side at work areas that are set up at a uniform, non-adjustable height; Yet the workers vary in stature.

**Solution:** New Age Industrial developed **Ergo Stands** to level the height differences among employees at shared workstations. Ergo Stands are solid, fully welded aluminum steps with aggressively punched tops for traction and a cutout carrying handle for easy transport.

These stands are available in heights ranging from 1-to 8- inches and has a spacious 24"W x 20"D deck. Associates can select their preferred Ergo Stand, then easily position the stands in front of a workstation. When used, Ergo Stands elevate employees to a comfortable working height to utilize and ergonomic working position, or reduce slips and falls in environments with wet or slippery floors.








These lightweight aluminum raised platforms help level the height differences among employees, providing a safe and comfortable work height for everyone.

- Handle grip makes it easy to clean and store in a personal locker.
- Anti-Slip raised tread, perforated top, has 3" O.C. Spacing (Disrupted elevation = \%6").
- · All Aluminum, Guaranteed Rust Free!



I" and 2" Ergo
Stands are ideal
for wet, slippery
environments.

## **Ergo Stands**

Grainger No.	Supplier No.	O.A. W-H-D	Deck W-D	Ship Lbs.
816V62	53598	24½" x 1" x 20½"	24" x 20"	10
816V63	53599	24½" x 2" x 20½"	24" x 20"	11
816V64	53600	24½" x 4" x 20½"	24" x 20"	12
816V65	53601	24½" x 6" x 20½"	24" x 20"	13
816V66	53604	24½" x 8" x 20½"	24" x 20"	14

# Fixed Work Tables







#### 18K926

Perfect for holding equipment at a comfortable height. Stands consist of adjustable, solid aluminum shelves, secured to 1516" aluminum posts. Posts are marked in 2" increments for easy assembly. Shelves have a double thick 18" marine edge to contains spills.

- Weight Capacity 400 lbs.
- Stationary units have plastic capped feet.
- Mobile units have four 5" stem type swivel casters with brake.
- Lifetime Guarantee against rust and corrosion.

Grainger	Supplier	Size	Ship
No	No.	D-H-L	Lbs.
Stationary	Unit		
18K926	21524ES24P	15" x 24" x 24"	17
Mobile Uni	t		
767X46*	21524ES24PC	15" x 30" x 24"	17

Mobile Unit equipped with four 5" stem type swivel casters with brake.

Note: Casters add 6" to the overall height of the unit.



<sup>\*</sup> Item available through Grainger sourcing.

# Dunnage Racks



Approved for use in freezers and displays, as well as packaging and storage areas; these heavy duty, all-welded aluminum racks keep product organized and off the floor. Many standard sizes are available to fit a wide variety of applications.



# **Heavy Duty -** All welded construction with feet sealed and welded.

Grainger	Supplier	Number Of	Weight	Size	Ship
No.	No.	Laterals	Capacity	D-H-L	Lbs.
59YG43*	2052	4	3000 lbs.	20" x 12" x 30"	10

 $<sup>* {\</sup>it Item available through Grainger sourcing}.$ 

Search
"New Age
Dunnage Racks"
at Grainger.com
For Additional
Sizes



### **Standard** - All welded frame, feet are fitted with plastic caps.

Grainger	Supplier	Number Of	Weight	Size	Ship
No.	No.	Laterals	Capacity	D-H-L	Lbs.
<u>6TJH4</u>	6004	4	2000 lbs.	20" x 12" x 36"	9

#### NEWALE INCUSTRIAL INCUSTRIAL



### Container Dollies

Ideal for bulk transporting.

• Accepts standard lugs (16"W x 8½"H x 25"L).

Grainger No.	Supplier No.	Lug Cap.	Size W-H-D	Ship Lbs.	
6ZUC5	6266	2	16¾" x 33" x 29¼"	16	
Four 5" stem type swivel casters - No brakes.					

### Stack and Nest Containers

Useful for a variety of activities from assembly to production, these containers stack when full and nest when empty. These lug tubs contain cross-stacking bottoms and are made of Food Approved Molded Poly.



Grainger No.	Supplier No.	Size W-H-L	Color	Ship Lbs.
12G973	RGY16825	15½" x 8¾" x 25"	gray	4
12G974	0361	Lid For #RGY16825	gray	1

Food Approved Molded Poly • Formed Cross-Stacking Bottom

12G973 - Stack and Nest RGY16825 Containers

# Aluminum Drag Hook

Allows you to effortlessly reach out and hook onto products by eliminating the need to bend over or touch them, making it simple to move them around



Grainger No.	Supplier No.	Size (Length)	Ship Lbs.
14G276	1199	371/2"	1

1199